

General

Title

Planning, organization, and management: percentage of scheduled surgical interventions suspended due to unavailability of previously reserved ICU beds.

Source(s)

Quality indicators in critically ill patients. Madrid (Spain): Spanish Society of Intensive and Critical Care and Units Coronary (SEMICYUC); 2011. 185 p.

Measure Domain

Primary Measure Domain

Clinical Quality Measures: Access

Secondary Measure Domain

Does not apply to this measure

Brief Abstract

Description

This measure is used to assess the percentage of scheduled surgical interventions suspended due to unavailability of previously reserved intensive care unit (ICU) beds.

Rationale

The aim of intensive care medicine is to provide critical patients with the healthcare that they need, ensuring the quality and safety of care. Intensive care medicine is one of the principal components of modern healthcare systems. There is an increasing demand for this resource, which involves high costs.

The quality of care has gradually come to be the central focus of healthcare, and in recent years patient safety has come to represent one of the key aspects of quality. In the case of intensive care medicine, this interest in quality is even more evident, not only because of its social and economic impact, but also because some of the dimensions involved in the quality of care of critical patients take on greater importance: critical patients are more vulnerable, access to critical care is more limited so efforts to

distribute resources equitably are more important, scant scientific evidence is available, and the efficiency is limited.

The suspension of scheduled surgical interventions (SI) due to unavailability of intensive care unit (ICU) beds can involve a risk to the patient, diminish satisfaction, and increase stays and costs.

Evidence for Rationale

GalvÃin MA, Flores NG. La suspensión de cirugÃa programada como un indicador de calidad en la atención hospitalaria. Rev Hosp M Gea Glz. 2006;7(2):59-62.

Pronovost PJ, Berenholtz SM, Ngo K, McDowell M, Holzmueller C, Haraden C, Resar R, Rainey T, Nolan T, Dorman T. Developing and pilot testing quality indicators in the intensive care unit. J Crit Care. 2003 Sep;18(3):145-55. PubMed

Quality indicators in critically ill patients. Madrid (Spain): Spanish Society of Intensive and Critical Care and Units Coronary (SEMICYUC); 2011. 185 p.

Van Houdenhoven M, Nguyen DT, Eijkemans MJ, Steyerberg EW, Tilanus HW, Gommers D, Wullink G, Bakker J, Kazemier G. Optimizing intensive care capacity using individual length-of-stay prediction models. Crit Care. 2007;11(2):R42. PubMed

Williams T, Leslie G. Delayed discharges from an adult intensive care unit. Aust Health Rev. 2004;28(1):87-96. PubMed

Primary Health Components

Planning; organization; management; surgical interventions; access block

Denominator Description

Number of scheduled surgical interventions (SI) with previously reserved intensive care unit (ICU) beds (see the related "Denominator Inclusions/Exclusions" field)

Numerator Description

Number of scheduled surgical interventions (SI) suspended due to unavailability of previously reserved intensive care unit (ICU) beds (see the related "Numerator Inclusions/Exclusions" field)

Evidence Supporting the Measure

Type of Evidence Supporting the Criterion of Quality for the Measure

A formal consensus procedure, involving experts in relevant clinical, methodological, public health and organizational sciences

One or more research studies published in a National Library of Medicine (NLM) indexed, peer-reviewed journal

Additional Information Supporting Need for the Measure Unspecified

Extent of Measure Testing

Unspecified

State of Use of the Measure

State of Use

Current routine use

Current Use

not defined yet

Application of the Measure in its Current Use

Measurement Setting

Hospital Inpatient

Intensive Care Units

Professionals Involved in Delivery of Health Services

not defined yet

Least Aggregated Level of Services Delivery Addressed

Single Health Care Delivery or Public Health Organizations

Statement of Acceptable Minimum Sample Size

Unspecified

Target Population Age

Age greater than or equal to 18 years

Target Population Gender

Either male or female

National Strategy for Quality Improvement in Health Care

National Quality Strategy Aim

Better Care

National Quality Strategy Priority

Prevention and Treatment of Leading Causes of Mortality

Institute of Medicine (IOM) National Health Care Quality Report Categories

IOM Care Need

Getting Better

Living with Illness

IOM Domain

Effectiveness

Data Collection for the Measure

Case Finding Period

Unspecified

Denominator Sampling Frame

Patients associated with provider

Denominator (Index) Event or Characteristic

Institutionalization

Denominator Time Window

not defined yet

Denominator Inclusions/Exclusions

Inclusions

Number of scheduled surgical interventions (SI) with previously reserved intensive care unit (ICU) beds

Population: All scheduled SI with previously reserved ICU bed during the period reviewed.

Exclusions

Scheduled SI after which admission to the ICU is considered unnecessary (because of risk reassessment or death)

Exclusions/Exceptions

not defined yet

Numerator Inclusions/Exclusions

Inclusions

Number of scheduled surgical interventions (SI) suspended due to unavailability of previously reserved intensive care unit (ICU) beds

Scheduled SI suspended due to unavailability of ICU bed: SI not performed on the day scheduled because the bed reserved in the ICU was not available.

Exclusions

Unspecified

Numerator Search Strategy

Institutionalization

Data Source

Registry data

Type of Health State

Does not apply to this measure

Instruments Used and/or Associated with the Measure

Unspecified

Computation of the Measure

Measure Specifies Disaggregation

Does not apply to this measure

Scoring

Rate/Proportion

Interpretation of Score

Desired value is a lower score

Allowance for Patient or Population Factors

not defined yet

Standard of Comparison

not defined yet

Prescriptive Standard

Standard: 10%

Evidence for Prescriptive Standard

Quality indicators in critically ill patients. Madrid (Spain): Spanish Society of Intensive and Critical Care and Units Coronary (SEMICYUC); 2011. 185 p.

Identifying Information

Original Title

Suspension of scheduled surgery.

Measure Collection Name

Quality Indicators in Critically III Patients

Measure Set Name

Planning, Organization, and Management

Submitter

Spanish Society of Intensive and Critical Care and Units Coronary - Clinical Specialty Collaboration

Developer

Spanish Society of Intensive and Critical Care and Units Coronary - Clinical Specialty Collaboration

Funding Source(s)

Boehringer Laboratories

Composition of the Group that Developed the Measure

Work Group for Planning, Organization, and Management

María Cruz Martín Delgado
Luis Ángel Domínguez Quintero
Francisca Prieto Valderrey
Emilio Moreno Millán
Francisco Fernández Dorado
Blanca Obón Azuara
Isabel Gutiérrez Cia
Roser Anglés Coll
Miguel Soto Ibáñez
Juan Roca Guiseris
Paz Merino de Cos
Joaquín Álvarez Rodríguez

Scientific Coordination:

Maria Cruz Martín Delgado Jesús Blanco Varela Lluís Cabré Pericas Pedro Galdos Anuncibay Federico Gordo Vidal

Financial Disclosures/Other Potential Conflicts of Interest

Unspecified

Adaptation

This measure was not adapted from another source.

Date of Most Current Version in NQMC

2011 Mar

Measure Maintenance

Unspecified

Date of Next Anticipated Revision

2016 Jul

Measure Status

This is the current release of the measure.

The measure developer reaffirmed the currency of this measure in July 2015.

Measure Availability

Source available in English	and Spanish	from the
Spanish Society of Intensive and (Critical Care and Units Coronary (SEMICYUC) Web sit	æ.
For more information, contact SEM	/IICYUC at Paseo de la Reina Cristina, 36, 4 ⁰ D, Madr	id, Spain; Phone:
+34-91-502-12-13; Fax: +34-91-5	502-12-14; Web site: www.semicyuc.org	; E-
mail: secretaria@semicyuc org		

NQMC Status

This NQMC summary was completed by ECRI Institute on April 2, 2014. The information was verified by the measure developer on April 25, 2014.

The information was reaffirmed by the measure developer on July 2, 2015.

Copyright Statement

This NQMC summary is based on the original measure, which is subject to the measure developer's copyright restrictions.

The Quality Indicators in Critically III Patients update 2011 can be used by any private or public body only for the purposes of research, clinical management, teaching and education, and will not be used for any other purpose. In all cases, full credit to the Spanish Society of Intensive Care Medicine (SEMICYUC) will be granted. The commercial use of the Quality Indicators in Critically III Patients update 2011 is explicitly forbidden.

Production

Source(s)

Quality indicators in critically ill patients. Madrid (Spain): Spanish Society of Intensive and Critical Care and Units Coronary (SEMICYUC); 2011. 185 p.

Disclaimer

NQMC Disclaimer

The National Quality Measures Clearinghouseâ, ¢ (NQMC) does not develop, produce, approve, or endorse the measures represented on this site.

All measures summarized by NQMC and hosted on our site are produced under the auspices of medical specialty societies, relevant professional associations, public and private organizations, other government agencies, health care organizations or plans, individuals, and similar entities.

Measures represented on the NQMC Web site are submitted by measure developers, and are screened solely to determine that they meet the NQMC Inclusion Criteria.

NQMC, AHRQ, and its contractor ECRI Institute make no warranties concerning the content or its reliability and/or validity of the quality measures and related materials represented on this site. Moreover, the views and opinions of developers or authors of measures represented on this site do not

necessarily state or reflect those of NQMC, AHRQ, or its contractor, ECRI Institute, and inclusion or hosting of measures in NQMC may not be used for advertising or commercial endorsement purposes.

Readers with questions regarding measure content are directed to contact the measure developer.